



A P A L A C H E S

Apalaches is a soft stone expression grounded, architectural, and versatile built to move from floors to walls to decorative moments with the same calm confidence. It draws from an American material heritage and translates it through Portobello America's design lens, turning geology into a surface language that feels extracted rather than printed.

Portobello
America

APALACHES




Off White | V3



Sizes	Finishes
48x106	ST NAT RECT *
48x48	ST NAT ST EXT RECT
24x48	NAT EXT RECT
24x24	NAT EXT RECT
12x24	NAT EXT RECT
Single Bullnose	
3x12	NAT RECT

Off White Intaglio | V3



Sizes	Finishes
24x48	NAT RECT

Nude | V3



Sizes	Finishes
48x106	ST NAT RECT *
48x48	ST NAT ST EXT RECT
24x48	NAT EXT RECT
24x24	NAT EXT RECT
12x24	NAT EXT RECT
Single Bullnose	
3x12	NAT RECT

Nude Intaglio | V3



Sizes	Finishes
24x48	NAT RECT

Rocha | V3



Sizes	Finishes
48x106	ST NAT RECT *
48x48	ST NAT ST EXT RECT
24x48	NAT EXT RECT
24x24	NAT EXT RECT
12x24	NAT EXT RECT
Single Bullnose	
3x12	NAT RECT

Rocha Intaglio | V3




Sizes	Finishes
24x48	NAT RECT

Mos SQ
Off White | V3




Sizes	Finishes
12x12	NAT

Mos SQ
Nude | V3



Sizes	Finishes
12x12	NAT

Mos SQ
Rocha | V3



Sizes	Finishes
12x12	NAT

SUPER TOUCH



Formats
48x106
48x48

*Special Order

Sizes 24x48, 24x24, 12x24, 12x12 and Bullnose are manufactured in the United States.

USE & PERFORMANCE

FORMAT	FINISH	DCOF	USAGE	DURABILITY
48X106 / 48X48	Natural	≥0.42	IW	Light Commercial / Residential
48X48	Exterior	≥0.60	IW+	Light Commercial / Residential
24X48 / 24X24 / 12X24	Natural	≥0.42	IW	Commercial / Residential
24X48 / 24X24 / 12X24	Exterior	≥0.65	EW	Commercial / Residential
24X48 INTAGLIO	Natural	Wall Applications	Wall Applications	Exterior and Interior Wall
3X12 BULLNOSE	Natural	Wall Applications	Wall Applications	Exterior and Interior Wall
MOS SQ 2X2	Natural	≥0.42	IW+	Commercial / Residential

TECHNICAL DATA

TEST	48X106 48X48	48X48	24X48 24X48 INTAGLIO 24X24 12X24 3X12 BULLNOSE MOS SQ 2X2	24X48 24X24 12X24
FINISH	Natural	Exterior	Natural	Exterior
COLOR BODY	No	No	Yes	Yes
MATERIAL	Porcelain	Porcelain	Porcelain	Porcelain
FREEZE RESISTANCE	Resistant	Resistant	Resistant	Resistant
WATER ABSORPTION	≤0.5%	≤0.5%	≤0.5%	≤0.5%
STAIN RESISTANCE	Class A	Class A	Class A	Class A
CHEMICAL RESISTANCE	Class A	Class A	Class A	Class A
BREAKING STRENGTH	≥ 275 lbf	≥ 275 lbf	≥ 275 lbf	≥ 275 lbf
MOHS HARDNESS	7	7	7	7

SIZES & DIMENSIONS

FORMAT	ACTUAL SIZE (in)	THICKNESS (mm)	SF/CARTON	PC/CARTON
48X106	47.19X106.24	7.0	34.75	1
48X48	47.19X47.19	7.0	30.88	2
24X48	23.50X47.13	8.5	15.38	2
24X48 INTAGLIO	23.50X47.13	10.0	15.38	2
24X24	23.50X23.50	8.5	15.34	4
12X24	11.70X23.50	8.0	13.37	7
3X12 BULLNOSE	2.75X11.65	8.0	3.34	15
MOS SQ 2X2	11.73X11.73	8.0	9.56	10

APPLICATION GUIDE

APPLICATION	48X106 48X48 24X48 24X24 12X24	48X48 24X48 24X24 12X24	24X48 INTAGLIO	3X12 BULLNOSE	MOS SQ 2X2
FINISH	Natural	Exterior	Natural	Natural	Natural
INTERIOR FLOOR	•	•			•
EXTERIOR FLOOR		•			
INTERIOR WALL	•	•	•	•	•
EXTERIOR CLADDING	•	•	•	•	•
FIREPLACES	•	•		•	•
SHOWER WALLS	•	•	•	•	•
SHOWER FLOORS					•
POOL & SPA					

GROUT JOINT

1/8" RECT

SUSTAINABILITY

+26% Pre Consumer Recycled Content LEED V4 Mit Credit

+27% Post Consumer Recycled Content LEED v4 Mit Credit

+36% Rechargeable Energy & Floors LEED v4 Mit Credit

MORE INFO: